

according to UK REACH Regulation

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Revision date: 03.05.2024

Product code: Kba-MSR

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Product group:	Endprodukt
UFI:	HXCD-FX67-851M-TY3P

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Special cleaner for awnings and parasols

1.3. Details of the supplier of the safety data sheet

Company name:	spezialreiniger24	
Street:	Hanauer Landstr. 78	
Place:	D-63538 Großkrotzenburg	
Telephone:	06181/4299121	Telefax: 06181 36986240
e-mail:	info@spezialreiniger24.de	
Internet:	https://spezialreiniger24.de	

1.4. Emergency telephone number:

Giftnotruf der Charité - Universitätsmedizin Berlin
+49 30 30686 700

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Skin Corr. 1; H314
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

2-butoxyethanol
Sodium metasilicate 5-hydrate
Isotridecanol, ethoxylated

Signal word: Danger

Pictograms:

**Hazard statements**

H314 Causes severe skin burns and eye damage.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P260	Do not breathe Rauch/Gas/Nebel/Dampf/Aerosol.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Safety Data Sheet

according to UK REACH Regulation

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Revision date: 03.05.2024

Product code: Kba-MSR

Page 2 of 12

P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container to in Übereinstimmung mit den lokalen Vorschriften der Entsorgung.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (GB CLP Regulation)	
111-76-2	2-butoxyethanol	1 - < 5 %
	203-905-0	
	01-2119475108-36	
	Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H331 H302 H315 H319	
10213-79-3	Sodium metasilicate 5-hydrate	1 - < 5 %
	229-912-9	
	01-2119449811-37	
	Met. Corr. 1, Skin Corr. 1B, STOT SE 3; H290 H314 H335	
7320-34-5	tetrapotassium diphosphate	1 - < 5 %
	230-785-7	
	01-2119489369-18	
	Eye Irrit. 2; H319	
69011-36-5	Isotridecanol, ethoxylated	1 - < 5 %
	Acute Tox. 4, Eye Dam. 1; H302 H318	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
111-76-2	203-905-0	2-butoxyethanol	1 - < 5 %
		inhalation: LC50 = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 = 1200 mg/kg	
10213-79-3	229-912-9	Sodium metasilicate 5-hydrate	1 - < 5 %
		oral: LD50 = > 5000 mg/kg	
7320-34-5	230-785-7	tetrapotassium diphosphate	1 - < 5 %
		dermal: LD50 = > 7940 mg/kg; oral: LD50 = 2440 mg/kg	
69011-36-5		Isotridecanol, ethoxylated	1 - < 5 %
		oral: ATE = 500 mg/kg	

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % phosphates, < 5 % non-ionic surfactants, < 5 % anionic surfactants.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. Medical treatment necessary.

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Revision date: 03.05.2024

Product code: Kba-MSR

Page 3 of 12

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Revision date: 03.05.2024

Product code: Kba-MSR

Page 4 of 12

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Store in a cool and dry place. Protect from heat and direct sunlight.

Protect from frost. Storage temperature: 5 - 40 °C.

7.3. Specific end use(s)

Special cleaner for awnings and parasols

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol	urine	Post shift

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Revision date: 03.05.2024

Product code: Kba-MSR

Page 5 of 12

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
111-76-2	2-butoxyethanol			
Consumer DNEL, acute	oral	systemic	26,7 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	6,3 mg/kg bw/day	
Worker DNEL, acute	dermal	systemic	89 mg/kg bw/day	
Worker DNEL, long-term	dermal	systemic	125 mg/kg bw/day	
Consumer DNEL, acute	dermal	systemic	89 mg/kg bw/day	
Consumer DNEL, long-term	dermal	systemic	75 mg/kg bw/day	
Worker DNEL, acute	inhalation	systemic	1091 mg/m ³	
Worker DNEL, acute	inhalation	local	246 mg/m ³	
Worker DNEL, long-term	inhalation	systemic	98 mg/m ³	
Consumer DNEL, acute	inhalation	systemic	426 mg/m ³	
Consumer DNEL, acute	inhalation	local	147 mg/m ³	
Consumer DNEL, long-term	inhalation	systemic	59 mg/m ³	
10213-79-3	Sodium metasilicate 5-hydrate			
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day	
Worker DNEL, long-term	dermal	systemic	1,49 mg/kg bw/day	
Consumer DNEL, long-term	dermal	systemic	0,74 mg/kg bw/day	
Worker DNEL, long-term	inhalation	systemic	6,22 mg/m ³	
Consumer DNEL, long-term	inhalation	systemic	1,55 mg/m ³	
7320-34-5	tetrapotassium diphosphate			
Consumer DNEL, long-term	oral	systemic	> 70 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	systemic	0,68 - 10,87 mg/m ³	
Worker DNEL, long-term	inhalation	systemic	2,79 - 44,08 mg/m ³	
69011-36-5	Isotridecanol, ethoxylated			
Worker DNEL, long-term	inhalation	systemic	294 mg/m ³	
Worker DNEL, long-term	dermal	systemic	2080 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	systemic	87 mg/m ³	
Consumer DNEL, long-term	dermal	systemic	1250 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	25 mg/kg bw/day	

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Revision date: 03.05.2024

Product code: Kba-MSR

Page 6 of 12

PNEC values

CAS No	Substance	Value
Environmental compartment		
111-76-2	2-butoxyethanol	
Freshwater		8,8 mg/l
Marine water		0,88 mg/l
Freshwater sediment		34,6 mg/kg
Marine sediment		3,46 mg/kg
Micro-organisms in sewage treatment plants (STP)		463 mg/l
Soil		2,33 mg/kg
10213-79-3	Sodium metasilicate 5-hydrate	
Freshwater		7,5 mg/l
Marine water		1 mg/l
Micro-organisms in sewage treatment plants (STP)		1000 mg/l
7320-34-5	tetrapotassium diphosphate	
Freshwater		0,05 mg/l
Marine water		0,005 mg/l
Micro-organisms in sewage treatment plants (STP)		50 mg/l
69011-36-5	Isotridecanol, ethoxylated	
Freshwater		0,074 mg/l
Marine water		0,007 mg/l
Freshwater sediment		0,604 mg/kg
Marine sediment		0,06 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,4 mg/l
Soil		0,1 mg/kg

8.2. Exposure controls**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Revision date: 03.05.2024

Product code: Kba-MSR

Page 7 of 12

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	light red	
Odour:	product specific	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value (at 20 °C):		12,4
Water solubility:		easily soluble
Solubility in other solvents		not determined
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density (at 20 °C):		1 g/cm ³
Relative vapour density:		not determined

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined

Solid content: not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidizing agent, Peroxides.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Revision date: 03.05.2024

Product code: Kba-MSR

Page 8 of 12

11.1. Information on hazard classes as defined in GB CLP Regulation**Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 20905,9 mg/kg; ATE (inhalation vapour) 120,00 mg/l; ATE (inhalation dust/mist) 20,000 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-76-2	2-butoxyethanol				
	oral	LD50 mg/kg	1200		Supplier
	inhalation (4 h) vapour	LC50	3 mg/l		
	inhalation dust/mist	ATE	0,5 mg/l		
10213-79-3	Sodium metasilicate 5-hydrate				
	oral	LD50 mg/kg	> 5000	Rat	Supplier
7320-34-5	tetrapotassium diphosphate				
	oral	LD50 mg/kg	2440	Rat	Supplier
	dermal	LD50 mg/kg	> 7940	Rabbit	Supplier
69011-36-5	Isotridecanol, ethoxylated				
	oral	ATE mg/kg	500		

Irritation and corrosivity

Causes severe skin burns and eye damage. (On basis of test data)

Causes serious eye damage. (On basis of test data)

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Revision date: 03.05.2024

Product code: Kba-MSR

Page 9 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
111-76-2	2-butoxyethanol					
	Acute fish toxicity	LC50 mg/l	1474	96 h	Oncorhynchus mykiss (Rainbow trout)	Supplier OECD 203
	Acute algae toxicity	ErC50 mg/l	911 - 1840	72 h	Pseudokirchneriella subcapitata	Supplier
	Acute crustacea toxicity	EC50 mg/l	1550	48 h	Daphnia magna (Big water flea)	Supplier OECD 202
10213-79-3	Sodium metasilicate 5-hydrate					
	Acute fish toxicity	LC50 mg/l	210	96 h	Danio rerio (zebrafish)	Supplier
	Acute algae toxicity	ErC50 mg/l	> 345	72 h	Desmodesmus subspicatus	Supplier DIN 38412 T9
	Acute crustacea toxicity	EC50 mg/l	1700	48 h	Daphnia magna (Big water flea)	Supplier
7320-34-5	tetrapotassium diphosphate					
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss (Rainbow trout)	Supplier
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Supplier
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)	Supplier
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Bakterien	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
111-76-2	2-butoxyethanol			
	OECD 301 E	95 %		
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol	0,8

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Revision date: 03.05.2024

Product code: Kba-MSR

Page 10 of 12

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Revision date: 03.05.2024

Product code: Kba-MSR

Page 11 of 12

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 2,5 % (25 g/l)

2004/42/EC (VOC): 3,3 % (33 g/l)

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

2-butoxyethanol

tetrapotassium diphosphate

SECTION 16: Other information**Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

Safety Data Sheet

according to UK REACH Regulation

dipure® MARKISEN REINIGER & SONNENSCHIRM-REINIGER

Revision date: 03.05.2024

Product code: Kba-MSR

Page 12 of 12

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)